A type of finish similar to lacquer, Advance acrylic laminate is a non-toxic, anti scratch, reflective high gloss finish which give cabinets a smooth appearance. It is made of polymer fibre, available in a wide range of colours and will give a mirror-like look to your interior. It is a durable decorative option as it leaves a reflective and glossy sheen on the surface of shutters which lasts for years. It comes in a range of bright colours that uplift the aesthetics of your interiors.

STRIPS SOLIDS MIRROR SPARKLES

METALLIC STONES WOODEN





- 01 — APRYLID LAMINATES — 02 —













































# Let's Decorate India

## Our Companions in Decorating INDIA mission Scan & view the video of our companion stars



















































# Talking OVER

Dear customer, it's our Privilege

Your have selected advance laminates for your surface decoration requirement.

We have over 300 options in various finishes for your residential and commercial spaces bet you drawing commercial spaces bet you drawing commercial spaces bet you drawing once the commercial spaces between the space of the sp

Advance decorative laminate is a part of the AMBA GROUP which has been serving the panel trade since 1991. Our manufacturing facility which is spread across 10 acres is located in hapur, 30kms. east to the national capital, Delhi. The factory is equipped with state of the art machinery majorly imported from Europe.

The designs films are sourced from different parts of the globe namely ITALY, KOREA, JAPAN and UNITED STATES. We can truly say we bring the best of the world to India and also push forward the make in India initiative. We have been awarded with ISO 900114001 and 45001 certifications where we are committed to comply to world's best standards of quality control, safety of our people and also keeping our environment clean and future safe. We have also been awarded CEMARK, FSC and IGBC which enables us to go about our business while keeping nature protected. We currently have presence on more than 2000 treatil outlets, spread across india. We truly believe in the concept of better than before and consciously strivet to improve everything wedo.

#### FOLLOW US









www.advancelam.com

Tollfree: 1800-103-4740

## 21 STATES

107+ DISTRIBUTORS

44613+ DEALERS

24340+ ARCHITECTS

65784+ CARPENTERS

50 MILLION+ SHEETS USED

BY CONSUMERS TILL 31st DECEMBER 2022

- 05 - ACBYLIC LAMINATES

#### PROOF OF EXCELLENCE























#### YOUR VIRTUAL ASSISTANT

Now knowing more about Advance Decorative Laminates Pvt. Ltd. is very easy. Either you want any Advance folder, or have any query about any laminate shade or whatever you want to know about Advance laminate, just scan this QR CODE, Advance virtual assistant will help you to get all.



#### anti scratch 611 ACRYLIC | ADVANCE





### **ANTI SCRATCH ACRYLIC** LAMINATE

#### **CLASSY & SUPER GLOSSY SURFACE**

with Amazing features to stay longer in your interior



#### DURABILITY

Acrylic laminate is highly durable hard-wearing



#### TO SCRATCH

Advance Acrylic laminate is excellent scratch resistance properties.



#### RESISTANCE TO WATER & HEAT

Acrylic laminate is water proof & resistance to heat & changing weather.

MAINTENANCE

Since Advance Acrylic laminate

is anti scratch so it possesses

very low maintenance. Just a normal wipe with clean



a super glossy, sophisticated appearance.



**FINISH** Highly reflective surface with a mirror-like sheen that retains

its color & brightness over the years.

ACRYLIC LAMINATES |----- 08 -----



#### TIPS TO KEEP ACRYLIC GLOSSY LAMINATE NEW FOR YEARS

Thanks for selecting such a beautiful and long-lasting Advance acrylic laminate. It is very easy to maintain advance acrylic laminate. By following the some measures you can enhance the life of acrylic glossy laminate.

- · To clean the surface of acrylic laminate do not use thinner.
- Wipe the surface gently with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution as these may damage the surface of the laminate.
- Use mild house hold glass cleaner like COLIN to remove more stubborn stains.
- Clearing should be done with water and a clean, nonabrasive cloth.
- · Do not place hot cookware directly on the laminate.
- Acrylic Glossy surfaces looks more beautiful when used for A vertical applications.
- Always store acrylic laminates at temperature below 300 Celsius.
- Avoid the prolonged exposure to temperatures above 300 Celsius, that may cause damage to the laminate surface.



#### BEST WAYS TO USE ADVANCE ACRYLIC LAMINATES ON INTERIOR FURNITURE

- Always clean the dust particles properly from the substrate (plywood MDF, Particle Board) surface by cloth or soft brush.
- Always use good quality branded PVC adhesive to stick acrylic laminate on substrate. Please don't add water in adhesive before using it.
- Spread the adhesive uniformly by brush, roller or adhesive spreader on acrylic laminate and base substrate (Plywood, MDF, Particle Board).
- It is very necessary to remove the air between acrylic laminate and substrate. Please leave minimum 2mm of groove between two pieces of acrylic laminate.
- At the time of pressing acrylic laminate on base substrate (Plywood, MDF, Particle Board) always use soft pinch roller or normal pressing technique to protect surface from any damage.
- The pressing should be done from the middle of the panel and move towards to the sideline and corners of the panel.
- For better bonding of acrylic laminate on substrate, press it for minimum 12 to 15 hours



## HOW TO GET RID OF GENERAL PROBLEMS LIKE BUBBLE & CRACK IN ACRYLIC LAMINATE.

- Avoid the lamination process of acrylic laminate under high humidity environment.
- Use the good quality branded adhesive during installation to avoid air bubble after installation.
- Prevent the base substrate (Plywood, MDF, Particle Board) to absorb moisture. Because after few days of installation, base substrate gradually loses moisture and this resulting in air bubble formation between acrylic laminate and substrate.
- Always use calibrated substrate for furniture. Don't use uneven surface substrate (Plywood, MDF, Particle Board) that may lead to air vacuum and air bubble which may appear after the installation.
- Take extra care during use of big size acrylic laminate for paneling because due to the bigger surface area, improper lamination may lead to air bubble formation after installation.
- Provide the proper recommended time because short bonding/pressing time during the installation of acrylic laminate may lead to air bubbles.
- Keep the acrylic laminate sheet evenly straight. Leave the roll acrylic sheet straight for minimum 48 hours before using it.



#### DO YOU KNOW HOW TO PREVENT THE COLOR FADE OR YELLOWING OF ACRYLIC LAMINATE?

- Do not expose your acrylic laminate furniture to direct sunlight, it may cause discoloring, fading and yellowing of the laminate.
- Don't use inferior quality over chemical dipped plywood as it can react with adhesive which may cause yellow patches after the installation.
- Don't use synthetic rubber adhesive for bonding as it may lead to brown / colored patches on acrylic laminates.
- Prolong exposure of acrylic laminate above 30-degree temperature should be avoided.





## **How Advance Acrylic laminate**

is **BETTER** than **LACQUERED GLOSS** 

#### Aesthetics

ACRYLIC LAMINATES are preferred decorative surface material for gloss finish. And, they add a visual appeal to your interior.

LACQUERED GLOSS are comparatively less striking in compared to ACRYLIC laminate & needs utmost care after & during application.

#### Colors & Varieties

ACRYLIC FINISHES retain their color and brightness for ages and are available in plenty of vibrant colors.

While, LACQUERED GLOSS has limited variety of color & pattern.

#### Maintenance & Durability

While ACRYLIC FINISHES are scratch resistant. They do tend to get scratched over the years, but always appear ultra-glossy and relatively smooth.

While LACOUERED GLOSS are tend to have scratches on its surface very easily.

#### Cost

As ACRYLIC FINISHES are aesthetically more appealing and are easy to clean, they come with lower price than Lacquered Gloss.

While LACQUERED GLOSS comes with very high price tag in comparison to ACRYLIC LAMINATE.

#### User Friendly and safety:

ACRYLIC LAMINATES are available in 1.50 and 1.25mm thickness & they are lighter in weight. So it is safe to use ACRYLIC LAMINATE in

LACQUERED GLOSS are available in 6mm thickness and they are heavy in weight so it is very much risky to use it in interior. There is always a chance of accident during and after the use of Lacquered









## The Difference Between Acrylic laminate

The thickness plays an important role in look and feel of ACRYLIC LAMINATE.

#### Just have a look:



#### 25 MM Acrylic Laminate

1. Less scratch resistance, more prone to scratched & stains.

- 2. Less reflective surface, having low gloss effect
- 3. Comparatively less life



### Acrylic Acrylic

- 1. High reflective surface, having high gloss effect than 1.25mm thickness.
- 2. 100% Scratch resistance surface
- 3. Long life in comparison to 1.25mm

#### BEST WAY TO USE ACRYLIC LAMINATE:

To avoid the colour variation in ACRYLIC laminate during application in interior, please use the similar batch number acrylic sheets. There may be slight variation of colour in different batch number.

- 11 — ACRYLIC LAMINATES ACRYLIC LAMINATES |----- 12 ----


#### MIRROR









AR-4002 | TEA BROWN MIRROR



AR-4007 | GOLD MIRROR




(Self Adhesive Acrylic Sheets)



ACRYLIC | ADVANCE DECORATION LAMBAGE


AR-4006 | GREY MIRROR



AR-4005 | LIGHT GOLD MIRROR



AR-4004 | COPPER MIRROR



— 13 — ACRYLIC LAMINATES

HORIZONTAL
GOLD MIRROR LINES

(Self Adhesive Acrylic Sheets)











— 15 — ACRYLIC LAMINATES

ACRYLIC LAMINATES |----- 16 ---

VERTICAL GOLD MIRROR LINES

(Self Adhesive Acrylic Sheets)



AR-4105 WHITE STRIPS



60 X 244mm

AR-4107 GREY STRIPS



AR-4106 RAW WHITE STRIPS




AR-4108 BEIGE STRIPS











#### SKIN MATT ANTI SCRTCH







## ACRYLIC | ADVANCE DECOMPS IN LABORATE


## SKIN MATT SCRTCH

130 X 80mm

130 X 80mm













130 X 80mm

AR-1006 | GRAPHITE GREY

AR-1021 | DARK GREY



AR-1009 | POLAR BROWN

AR-1017 | LIGHT BROWN



AR-1023 | TWILIGHT BEIGE



130 X 80mm

130 X 80mm





AR-1022 | MAROON

AR-1012 | PETROL BLUE



AR-1013 | URBAN NATURAL




130 X 80mm

AR-1011 | OCEAN BLUE

130 X 80mm AR-1014 | MUTE RAIN

SERIES 1000 1.5 MM anti scratch 6H





ACRYLIC LAMINATES | 26 -








## PLAIN COLOR

AR-1018 | AQUA GREEN

AR-1020 | LEAF GREEN



AR-1005 | ROYAL BLACK



130 X 80mm

merm



AR-1010 | PACHIFIC



130 X 80mm

130 V 90111111

AR-1019 | DREAM GREEN



#### SPARKLES

130 X 80mm

AR-2002 | CANDY SPARKLES

130 X 80mm

AR-2001 | WHITE SPARKLES





AR-2004 | MISTY GREY SPARKLES







AR-2005 | TAN SPARKLES



AR-2003 | ASH GREY SPARKLES








#### METALLIC












AR-2007 | MUSHROOM METALLIC





130 X 80mm





130 X 80mm

130 X 80mm

AR-2013 | GOLD METALLIC



ACRYLIC LAMINATES - 32 ----

AR-2006 | ROSE GOLD METALLIC













AR-3002 | GREY CASPIO STONE






AR-3003 | DARK GREY CASPIO STONE











130 X 280mm



















AR-3005 | PINARA MARBLE





AR-3004 | LIGHT PINARA MARBLE



#### WOODEN





#### SERIES 5000 1.5 MM anti scratch 6H





AR-5003 | AMARI METALLIC OAK HORIZONTAL





AR-5006 | DARK AMARI METALLIC HORIZONTAL



#### WOODEN










AR-5005 | DARK BELLA CHESTNUT












#### WOODEN











AR-5001 | DARK CANYON PLUM WOOD





AR-5002 | CANYON PLUM WOOD







SOLIDS

METALLIC

SPARKLES

STONES

ACRYLIC | ADVANCE SERIES 100 1.25mm anti scratch 6H PLAIN COLOR AR - 102 130 X 70mm 130 X 70mm 器建 130 X 70mm LR - 104 130 X 70mm — 47 — ACRYLIC LAMINATES

SERIES 100 1.25 MM anti scratch 6H



130 X 70mm

LR-105 | GREY FLANNER



130 X 70mm


LR-106 | STEEL GREY




130 X 70mm

LR-107 | SILVER GREY







51 — ACRYLIC LAMINATES

ACRYLIC LAMINATES |----- 52 ----














LR-302 | ARIS STONE



#### SPARKLES & METALLIC









130 X 70mm

LR-206 | EGG WHITE SPARKLES



LR-207 GREY SPARKLES

130 X 70mm

METALLIC





LR-208 | GOTHIC GREY SPARKLES

LR-205 | COLD WHITE SPARKLES

LR-201 | BARLEY METALLIC

55 — ACRYLIC LAMINATES

ACRYLIC LAMINATES ├── 56 ─

#### INDEX

## ACRYLIC | ADVANCE anti scratch

#### - THICKNESS 1.25 MM-

111101111200 1120 111111						
S.NO.	DESIGN NO.	DESIGN NAME	PG NO.			
PLAIN COLOR (SERIES - 100)						
1	LR - 101	WHITE LILLY	48			
2	LR - 102	FROSTY WHITE	48			
3	LR - 103	ABSOLUTE WHITE	48			
4	LR - 104	ROYAL WHITE	48			
5	LR - 105	GREY FLANNER	49			
6	LR - 106	STEEL GREY	49			
7	LR - 107	SILVER GREY	49			
8	LR - 108	MING RED	52			
9	LR - 109	BALSAM BROWN	52			
10	LR - 110	IVORY	52			
11	LR - 111	ROYAL BLACK	52			
SPARKLES & METALLIC (SERIES - 200)						
12	LR - 201	BARLEY METALLIC	56			
13	LR - 205	COLD WHITE SPARKLES	56			
14	LR - 206	EGG WHITE SPARKLES	56			
15	LR - 207	GREY SPARKLES	56			
16	LR - 208	GOTHIC GREY SPARKLES	56			
STONES	(SERIES - 300)					
17	LR - 301	ROCK STONE	54			
18	LR - 302	ARIS STONE	54			

#### **THICKNESS 1.5 MM**

S.NO.	DESIGN NO.	DESIGN NAME	PG NO.			
PLAIN COLOR (SERIES - 1000)						
19	AR - 1001	INTERIOR WHITE	22			
20	AR - 1002	ARCTIC WHITE	22			
21	AR - 1003	DESIGNER WHITE	22			
22	AR - 1004	SNOW WHITE	22			
23	AR - 1005	ROYAL BLACK	28			
24	AR - 1006	GRAPHITE GREY	24			
25	AR - 1007	DOVE GREY	22			
26	AR - 1008	WARM GREY	22			
27	AR - 1009	POLAR BROWN	24			
28	AR - 1010	PACHIFIC	28			
29	AR - 1011	OCEAN BLUE	25			
30	AR - 1012	PETROL BLUE	25			
31	AR - 1013	URBAN NATURAL	25			
32	AR - 1014	MUTE RAIN	25			
33	AR - 1015	ALMOND PINK	25			
34	AR - 1016	OYSTER	24			
35	AR - 1017	LIGHT BROWN	24			
36	AR - 1018	AQUA GREEN	28			
37	AR - 1019	DREAM GREEN	28			
38	AR - 1020	LEAF GREEN	28			
39	AR - 1021	DARK GREY	24			
40	AR - 1022	MAROON	25			
41	AR - 1023	TWILIGHT BEIGE	24			
SPARKLES (SERIES - 2000)						
42	AR - 2001	WHITE SPARKLES	29			
43	AR - 2002	CANDY SPARKLES	29			
44	AR - 2003	ASH GREY SPARKLES	29			
45	AR - 2004	MISTY GREY SPARKLES	29			
46	AR - 2005	TAN SPARKLES	29			
METALL	IC (SERIES - 2000)					
47	AR - 2006	ROSE GOLD METALLIC	32			
48	AR - 2007	MUSHROOM METALLIC	32			
49	AR - 2011	WHITE FROST METALLIC	32			

DESIGN NO.	DESIGN NAME	PG NO.
AR - 2012	PEARL GREY METALLIC	32
AR - 2013	GOLD METALLIC	32
(SERIES - 3000)		
AR - 3001	ALBERICA MARBLE	35
AR - 3002	GREY CASPIO STONE	34
AR - 3003	DARK GREY CASPIO STONE	34
AR - 3004	LIGHT PINARA MARBLE	38
AR - 3005	PINARA MARBLE	38
AR - 3006	MILKY WAY STONE	35
(SERIES - 4000)		
AR - 4001	WATER MIRROR	14
AR - 4002	TEA BROWN MIRROR	14
AR - 4003	ROSE GOLD MIRROR	14
AR - 4004	COPPER MIRROR	14
AR - 4005	LIGHT GOLD MIRROR	14
AR - 4006	GREY MIRROR	14
AR - 4007	GOLD MIRROR	14
NTAL GOLD MIRRO	R STRIPS (SERIES - 4100)	
AR - 4101	WHITE STRIPS	15
AR - 4102	RAW WHITE STRIPS	15
AR - 4103	GREY STRIPS	15
AR - 4104	BEIGE STRIPS	15
AL GOLD MIRROR S	TRIPS (SERIES - 4100)	
AR - 4105	WHITE STRIPS	17
AR - 4106	RAW WHITE STRIPS	17
AR - 4107	GREY STRIPS	17
AR - 4108	BEIGE STRIPS	17
N (SERIES - 5000)		
AR - 5001	DARK CANYON PLUM WOOD	44
AR - 5002	CANYON PLUM WOOD	44
AR - 5003	AMARI METALLIC OAK HORIZONTAL	40
AR - 5004	BELLA CHESTNUT	41
AR - 5005	DARK BELLA CHESTNUT	41
AR - 5006	DARK AMARI METALLIC HORIZONTAL	40
	)	
AR - 6001	TAJ WHITE	20
AR - 6002	PAPPYRUS WHITE	20
AR - 6003	WEST COAST GREY	20
AR - 6004	PANTONE JAVA	20
	AR - 2012 AR - 2013 AR - 2013 GERIES - 3000) AR - 3001 AR - 3002 AR - 3003 AR - 3006 AR - 3006 AR - 3006 AR - 3006 AR - 4001 AR - 4002 AR - 4002 AR - 4001 AR - 4001 AR - 4001 AR - 4005 AR - 4006 AR - 4006 AR - 4006 AR - 4006 AR - 4007 AR - 4101 AR - 4102 AR - 4105 AR - 4106 AR - 5006 AR - 5000	AR - 2012   PEARL GREY METALLIC   AR - 2013   GOLD METALLIC   AR - 2013   GOLD METALLIC   GERIES - 3000)   ALBERICA MARBLE   AR - 3001   ALBERICA MARBLE   AR - 3002   DARK GREY CASPIO STONE   AR - 3003   DARK GREY CASPIO STONE   AR - 3004   GOLD METALLIC   AR - 3006   MILKY WAY STONE   GERIES - 4000)   AR - 4001   WATER MIRROR   AR - 4001   WATER MIRROR   AR - 4002   TEA BROWN MIRROR   AR - 4003   ROSE GOLD MIRROR   AR - 4004   COPPER MIRROR   AR - 4006   GREY MIRROR   AR - 4006   GREY MIRROR   AR - 4007   GOLD MIRROR   AR - 4007   WHITE STRIPS   AR - 4102   RAW WHITE STRIPS   AR - 4103   BEIGE STRIPS   AR - 4106   WHITE STRIPS   AR - 4107   GREY STRIPS   AR - 4108   BEIGE STRIPS   AR - 4109   MILT STRIPS   AR - 4106   GREY STRIPS   AR - 4107   GREY STRIPS   AR - 4108   BEIGE STRIPS   AR - 4109   MHITE STRIPS   AR - 4106   RAW WHITE STRIPS   AR - 4107   GREY STRIPS   AR - 4108   BEIGE STRIPS   AR - 4109   AR - 5001   DARK CANYON PLUM WOOD   AR - 5001   DARK CANYON PLUM WOOD   AR - 5001   DARK CANYON PLUM WOOD   AR - 5002   DARK BELLA CHESTNUT   AR - 6001   TAJ WHITE   AR - 6002   DARK AMARI METALLIC OAK HORIZONTAL   AR - 6001   TAJ WHITE   AR - 6002   DARK AMARI METALLIC HORIZONTAL   AR - 6001   TAJ WHITE   AR - 6002   WEST COAST GREY   WEST COAST GREY

#### SUGGESTION WITH TERMS AND CONDITIONS

- · There will be no guarantee or exchange under any circumstances.
- Color variations in products from different batches are possible.
- We recommend using products from same batch to avoid color variations.
- Do not use plywood with high moisture content.
- Do not use ply with uneven surface.
- Use only recommended adhesive.
- Apply sufficient pressure.
- We do not recommend pasting of sheets on the printed/branding area of the plywood.
- To avoid De-lamination/air bubbles in between ply & acrylic laminate sheets bonding of acrylic laminate should not be done under high



#### Scan & Download Folders









0.8mm FOLDER









LIMITED WARRANTY

Kindly check the sheet in all aspects immediately after purchasing & prior to cutting. In case of manufacturing defect, only replacement of used sheet will be made. No warranty for corner crack or Air bubble. No Claim will be entertained there after in any of the specifics. No Claim will be No Claim will be entertained for cracking arising at groove or L Shape for Air Bubbles

- · Apply Sufficient pressure.
- We do not recommend pasting of sheets on the printed/branding area of the plywood.
- To avoid De-lamination/air bubbles in between ply & acrylic laminate sheet bonding of acrylic laminate



(Company warrants that all its products are free from manufacturing defects and perfectly fit for use under normal conditions. In case of any claims, the liability of the Company is however limited to the cost of the product only.)

Note: This folder is only for product promotion and it is not made for sale.